

What this study hopes to illuminate:

- Time until adaptation for different levels of V2K.
- Sensitivity levels of which it will work on the target.
- Prove the underlying Nyquist theories of scrambling the radar signals for body part resonances and brain entrainments.
- Show any kind of correlation between altering the exterior body resonances and mental perceptions of external signals.
- Finding other variables which affect the outcome of the study's population and improve on possible solutions.

Package content:

- 1 Black box with attached wrist contact pad, 3-prong plug, 9 volt plug
- 1 Extra white Velcro strip to lengthen contact pad around head
- 1 9 volt power adapter
- 1 3 prong tester
- 1 Instructions and survey
- (1) Negative Ion Generator with power adapter (maybe). Contact me in advance before using it.

Quick Setup

Take the 3 prong tester out of its packaging. Plug into each outlet you plan to use the unit on. They should all read "off,yellow,yellow" for correct house wiring. If not, return the unit.

Take out the black box and place it somewhere near the two power plugs which have been tested. Be careful not to place it in a high place because the box is very fragile. If it falls, it is likely to dislodge components. For example when you sleep, you might forget you are connected while going to the bathroom and pull it off its place. Plan ahead.

Plug the 1 or 3 prong cord into the plug. Next take out the 9 volt power adapter and plug it into the next plug. The plug maybe already connected to the unit, otherwise connect it. Lights should turn on and off to let you know it is working.

When using, the contact area on the skin is important. More contact, more the dampening. Each unit is wired differently. To ensure that you do not screw up the data, please do not comment to anyone about your results whether positive or negative. The group results will be published and analyzed when the study ends.

Preparing to Test the unit

Fill out these questions before testing.

All the questions are numbered so you can submit your answer via email.

For the following questions “1” is infrequent, low quality and “5” is highest.

Test Subject Background

Prior to trying this device, rate your:

1) Intensity of REM (rapid eye movement) or dreams (1-5):

(Whether good or bad dreams, the brain will not readjust their ion concentrations or repair themselves without REM sleep)

2) Do you feel your dreams are manipulated (1-5):

3) Rate the severity of your voices or internal conversations (1-5):

4) How many months or years have you dealt with voices?

5) Are you able to function with the distraction?

6) What coping mechanisms have you developed?

7) Name any psycho-active drugs (legal or illegal) that you use such as anti-depressants, alcohol, marijuana, anti-psychotics, sleeping pills, aderall, etc.


Short term tests

Next find a quiet room, preferably somewhere you can lie down and relax with the unit. Make sure your skin is healthy and moist. Otherwise use lotion to increase the moisture of your skin.

Attach the contact pad to your wrist or head with the extended white Velcro strip. Other good locations include the lower spin with the metal contact in alignment.

The box will make a small clicking sound and lights flashing about every 3 seconds.

The box # and switch position have been randomized. Either A or B is a placebo.



Plug in both plugs and attach the strap to your wrist or use the headband extension for your forehead with the tin foil facing the skin. Lie down. Relax, listen to music, watch tv, read a book, and wait.

- 8) Note the position of the switch (A or B) here:
- 9) Note your box # here:
- 10) Note the time within 20 minutes of any changes.
- 11) Make any observational notes:
- 12) If you sensed a reduction or increase note it here (1-5):

If you noticed a decrease in the volume or clarity of the voices and a lessened urge to response, leave the switch where it is at. If there were results, skip to Medium Term Usage Experiments.

- 13) If no results are observed, switch the switch to the opposite value and note it here (A or B):

Repeat the test and answer these questions.

- 14) Note the time within 20 minutes of any changes.

15) Make any observational notes:

16) What is your level now (1-5):

Medium term usage experiments:

Continue to use the device as frequently as you can for the next 24-48hrs in the switch position that you felt the most effects.

Expectations:

While this instrument is in operational mode it is healthy for all humans. We are interested only in the ones that are experiencing low to mild “negative voices” in their head that no one else hears.

Without being too blunt, we are researching “target individuals” who the governments have chosen for research of their own. It is a complex game of psychology and adaptation.

Some people will notice a difference within 15 seconds; others require continuous use for a few hours if electromagnetic sensitivity is within the parameters of this dampening field. The effectiveness of this device depends on the conditions of the sensitivity of the individual caused by many complex reasons.

Due occasional realignment of electron and nuclear spins and resonances, you may notice an occasional breakthrough of the influence every so often. Wait. Ignore it.

It took many months or years for your brain to be rewired and sensitized; it may take a few days to feel it “freeing” itself.

Those suffering from behavior modification experiments should expect the voices will initially get more violent in hopes that they can intimidate you to quit using the device. In a week this will phase out and they will try to befriend you so that you do not feel the need to use it. Initially expect nightmares. Some have found that if they use the unit for the first half of their sleep and not the second half that it is a type of negotiation with their handlers to not give the person nightmares.

Remember that this device is not addictive nor rewires your pleasure centers. It can separate you from the wireless global hive mind that is being developed.

Congratulations! You have completed the hard part of the testing procedure. Send your responses to the numbered questions via email, HigherOrderThinkers@gmail.com or send it by regular mail. Once you have done that contact me by phone or email for the next stage of testing.

Long Term Usage:

Mental exercises for self control

Many TIs who have survived for a while with V2K will now suffer from Stockholm syndrome and actually miss the voices. While the induced bio-field is dampened and while using the device, even if you hear a slight communication, practice not responding and try to focus on something else, like your own ideas. You are trying to rewire your synaptic connections back to your sense of self so YOU are in control.

You must program yourself for positive thinking by using self hypnosis.

You will give me your "Box #" and I will tell you the real switch position for activation which you may or may not be using. Continue to use the unit for another week knowing the true switch position and make notes and answer the questions again.

- 17) What have you noticed about your intensity of REM sleep?
- 18) Roughly, how many hours a day could you use it?
- 19) What observations have you made about your usage and when you need to disconnect it and work or run errands?
- 20) Notes on anything the voices might have said to you knowing about your participation in this study.
- 21) If the unit worked for you, how long did the dampening effects last when you disconnected from the unit?
- 22) Were there any other side effects?
- 23) Do you have ideas for design improvements?

Extra Credit:

If your kit came with a negative ion generator, please call me before using it. They are high voltage. They are not dangerous to the human but they will damage sensitive electronics. Be sure to keep it away from all electronics while you conduct experiments on yourself. After you are done with experimentation, you must discharge yourself. I will explain more in person and what effects I am looking for. Some have said that it intensifies their hypnosis and connection while others say the opposite. I need to have a detailed report and give you ideas to try such as spraying the ions on your walls, etc.

- 24) Try different combinations of just the ion generator then the unit and both. Note any observations. Each ion generator has a different level of ion production. It is unclear if this hurts or helps the target. This is an open ended question for now. Depending on the ion generator, you may get electrical shocks if it is too close to you. Using the dampening device while using the ion generator

may damage the electronics in the dampening device. This is OK. I gave you permission to try this experiment.

You are done. Please finish the questions and your report either on-line or paper and return the unit in the box it came from ASAP. We need 100 data points before we can run the statistics and publish the results.

Thanks again for helping us find the truth of why people are being tortured. We will use your data to advance our technical understanding of finding cheap solutions to alleviate many others' suffering and hopefully discover undeniable evidence of this holocaust.

Please, please return the entire kit in the box that it came with \$200 insurance but no signed confirmation to:

Higher Order Thinkers
PO Box 7422
Boise, ID 83707

Your \$200 deposit will be returned to you minus shipping costs to your state. Thank you Saints.